

⑫ **EUROPEAN PATENT APPLICATION**

⑲ Application number: **89301668.3**

⑤① Int. Cl.⁴: **A61K 7/06**

⑳ Date of filing: **21.02.89**

The title of the invention has been amended
(Guidelines for Examination in the EPO, A-III,
7.3).

⑳ Priority: **25.02.88 GB 8804419**
19.08.88 GB 8819738

④③ Date of publication of application:
27.09.89 Bulletin 89/39

⑧④ Designated Contracting States:
AT BE CH DE ES FR GB GR IT LI LU NL SE

⑦① Applicant: **BEECHAM GROUP PLC**
Beecham House Great West Road
Brentford Middlesex TW8 9BD(GB)

⑦② Inventor: **Davis, Walter Bryan**
Beecham Products Research Dep. St.
George's Avenue
Weybridge Surrey KT13 ODE(GB)
Inventor: **Batt, Margaret Dorothy**
Beecham Products Research Dep. St.
George's Avenue
Weybridge Surrey KT13 ODE(GB)
Inventor: **Ridge, Benjamin Digby**
Beecham Products Research Dep. St.
George's Avenue
Weybridge Surrey KT13 ODE(GB)

⑦④ Representative: **West, Vivien et al**
Beecham Pharmaceuticals Great Burgh Yew
Tree Bottom Road
Epsom Surrey KT18 5XQ(GB)

⑥④ **Hair care compositions.**

⑥⑦ A hair care composition comprising at least 1,000 IUg⁻¹ of an ester of retinol in a topically acceptable carrier is useful for increasing the diameter of growing hair.

EP 0 334 486 A2

COMPOSITIONS

This invention relates to topical hair treatment compositions containing derivatives of Vitamin A (retinol).

It is known to use retinoic acid, that is Vitamin A acid, to increase the growth of human scalp hair. However, retinoic acid is a known irritant and its use in formulations has been associated with such problems. Certain retinoic acid derivatives have also been shown to be effective in increasing the rate of hair growth by prolonging the anagen phase of the hair cycle.

WO-82 02833 describes a method for increasing the rate of growth of hair and prolonging the anagen phase of the hair cycle by topically administering retinoic acid or one of its derivatives to the scalp in an effective amount. Administration of these compositions is topically, by lotions, ointments and creams.

US-4,170,229 describes the prevention of hair loss by the topical administration of retinyl palmitate in the form of an aqueous sprayable emulsion.

GB-1,487,543 describes a water based dermatological ointment comprising from 0.1 to 0.3% by weight of retinyl palmitate in admixture with ichthyol, dexamethasone and salicylic acid, used for the treatment of alopecia seborrhoica.

It has now surprisingly been found that retinol esters are effective in increasing the diameter of growing hair. These esters, unlike retinoic acid, show very low irritancy when formulated.

It has also surprisingly been found that the stability of retinol esters for use in hair-care products can be enhanced by the selection of an appropriate carrier.

According to the present invention there is provided a hair care composition comprising at least 1,000 IUg⁻¹ of an ester of retinol (not being retinyl palmitate), or of a mixture of esters of retinol (at least one of which is not retinyl palmitate), in a topically acceptable carrier.

In a further aspect of the invention there is provided a hair care composition comprising at least 1,000 IUg⁻¹ of an ester of retinol, or of a mixture of esters of retinol, in a topically acceptable carrier which is anhydrous or wherein the retinol ester or mixture thereof is dissolved in the oil phase of a multiphase system, such as an oil-in-water or water-in-oil emulsion.

Preferably the oil is a volatile oil such as a volatile silicone.

A further aspect of the invention provides a method of increasing the diameter of growing hair e.g. human scalp hair which method comprises the topical administration of an effective amount of an ester of retinol (not being retinyl palmitate), or of a mixture of esters of retinol (at least one of which is not retinyl palmitate), or of a composition in accordance with the invention.

These compositions can be applied topically in the form of lotions, creams, conditioners, gels or mousses.

However, topical administration should not just be limited to those mentioned above.

Preferably the composition comprises from 1,000 to 15,000 IUg⁻¹ of at least one fatty acid ester of retinol, more preferably from 2,000 to 7,000 IUg⁻¹.

Preferably, the composition of the invention comprises at least one C₂₋₁₆, more especially C₃₋₁₀, alkanoyl ester of retinol.

Preferably, the composition of the invention comprises at least one C₃₋₇ straight chain, branched chain, or cyclo alkanoyl ester of retinol for example retinyl propionate, butyrate, cyclopentanecarboxylate, pivalate, valerate, hexanoate or heptanoate. The preferred composition comprises the propionate or the palmitate.

An advantage of the present invention is that an increase in the thickness of the hair shaft is achieved without any decrease in the colour density of the hair, so that areas of thinning hair are effectively disguised.

The hair treatment composition is preferably a 'leave-on' product, and includes conditioners, tonics, lotions, creams, dressings, gels, spray on conditioners, aerosol conditioning sprays, mousses, post foaming hair gels, styling and hairsprays.

According to the type of product required, in addition, to the retinol ester(s), many other cosmetically acceptable ingredients may be used.

For example, an oil-in-water emulsion may be prepared containing 5 to 50% by weight of oil. Examples of oils suitable for inclusion in the present compositions include: volatile linear iso-paraffins, acyclic dimethylpolysiloxanes, cyclic dimethylpolysiloxanes, mineral oils, synthetic fatty acid esters, fatty alcohols, lanolin and its derivatives.

Anhydrous hair formulations that do not contain any water are also included in this invention, such as oil based hair tonics containing up to 99% oil and an optional additional amount of an anhydrous alcohol.

Preferably the oils used are volatile, such as volatile silicones e.g. D.C. 345.

In a particularly preferred aspect of the invention, retinyl palmitate is formulated with a hair tonic

comprising a volatile silicone and/or an anhydrous alcohol.

Gels, conditioners and other hair dressings will contain ingredients conventionally used in the art, and may include emulsifiers, detergents and alcohol. Additional ingredients such as perfumes and dyes may also be used.

5 The compositions of this invention should desirably include an anti-oxidant effective in preventing oxidation of the retinol ester and consequent reduction in the activity of the composition. Some anti-oxidants are effective in this respect but themselves oxidise to give a noticeable yellowing of the products.

Two anti-oxidants which are particularly suitable for incorporation are butylated hydroxytoluene (BHT), (2,3-di-tert-butyl-p-cresol) and butylated hydroxyanisole (BHA), (2-tert-butyl-4-hydroxyanisole or 3-tert-butyl-10 4-hydroxyanisole) or a mixture of these. Accordingly in another of its aspects, the invention includes a composition in accordance with the invention including BHT and/or BHA as anti-oxidant.

The following Examples are prepared in accordance with the present invention.

15 Example 1

Silicone Emulsion

20

	% w/w
*Silicone Emulsion Q2.3225C	10.00
*Silicone DC 345	10.00
25 Sodium Chloride	1.00
Retinyl Propionate	0.15
Perfume	qs
Preservative	qs
Deionised Water	to 100.00

30

*Q2-3225C - volatile silicone self emulsifying CTFA name
Cyclomethicone (and) Dimethicone Copolyol
*DC 345 CTFA name Cyclomethicone

35

Example 2

Hair Tonic (oil based)

40

	% w/w
Mineral Oil	to 100.00
45 Arlacel 186	1.50
Aduvex 248 (UV absorber)	0.15
Retinyl propionate	0.15
Perfume	0.50

50

Example 3

A 2-layer hairdressing composition was prepared using 70% of the aqueous phase and 30% of the oil phase:

55

EP 0 334 486 A2

5

	% w/w
Mineral oil	to 100.00
Retinyl propionate	0.51
Perfume	qs
Dyes	qs

10

Aqueous phase

15

	% w/w
Ethanol	20.00
Perfume	qs
Boric acid	1.00
Protein hydrolysate	1.40
Sodium chloride	0.50
Dyes	qs
Deionised water	to 100.00

20

25 Example 4

Grooming Gel

30

	% w/w
Carbopol 940	0.70
Triethanolamine	0.40
Glycerine	13.50
Propylene Glycol	4.00
*Silicone DC 193	0.50
Dowicil 200 (Preservative)	0.20
Mineral Oil	20.00
Retinyl propionate	0.15
BHA or BHT	0.20
Deionised water	to 100.00

40

*DC 193 CTFA name Dimethicone Copolyol.

45

Example 5

50 Gel hairdressing

55

	% w/w
Carbopol 940	0.70
Triethanolamine	0.40
Mineral Oil	20.00
Dowicil 200 (Preservative)	0.20
Retinyl propionate	0.15
BHA or BHT	0.20
Perfume	qs
Dyes	qs
Deionised water	to 100.00

Example 6Non-oily Scalp Tonic

	% w/w
Silicone DC 345	34.00-98.85
Propylene Glycol	1.00
Retinyl palmitate	0.15
Perfume	qs.
Dyes	qs.
Anhydrous alcohol (optional)	to 100.00%

The active retinyl palmitate is slowly dissolved in the silicone oil and the remaining ingredients are incorporated in a conventional manner.

Example 7Non-oily Scalp Tonic

	% w/w
Silicone DC 345 fluid	34.00-98.85
Propylene Glycol	1.00
Retinyl propionate	0.15
Perfume	qs.
Dyes	qs.
Anhydrous alcohol (optional)	to 100.00%

The scalp tonic is prepared in accordance with the procedure outlined in Example 6.

Claims

1. A hair care composition comprising at least 1,000 IUg⁻¹ of an ester of retinol (not being retinyl palmitate), or a mixture of esters of retinol (at least one of which is not retinyl palmitate), in a topically acceptable carrier.

2. A hair care composition comprising at least $1,000 \text{ IUg}^{-1}$ of an ester of retinol, or a mixture of esters of retinol, in a topically acceptable carrier which is anhydrous or wherein the retinol ester or mixture thereof is dissolved in the oil phase of a multiphase system, such as an oil-in-water or water-in-oil emulsion.

3. A composition according to claim 2, which is an anhydrous hair tonic containing an oil and/or an
5 anhydrous alcohol.

4. A composition according to claim 2 or 3, wherein the oil is a volatile silicone.

5. A composition according to any one of claims 2 to 4, wherein the ester of retinol comprises retinol palmitate.

6. A composition according to any one of claims 1 to 4, wherein the ester of retinol comprises a C_{2-15}
10 alkanoyl ester of retinol.

7. A composition according to claim 6, wherein the ester of retinol is retinol propionate.

8. A composition according to any preceding claim, comprising $1,000$ to $15,000 \text{ IUg}^{-1}$ of at least one fatty acid ester of retinol.

9. A process for the preparation of a hair care composition according to any preceding claim, which
15 process comprises admixing the ingredients of the composition in the required ratios.

10. A method of increasing the diameter of growing hair, which method comprises the topical administration of an effective amount of an ester of retinol (not being retinyl palmitate), or of a mixture of esters of retinol (at least one of which is not retinyl palmitate), or of a composition in accordance with any one of claims 1 to 8.

20

25

30

35

40

45

50

55